Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8305	(shar\$3 near1 stor\$4)"." "ti." and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:28
S2	244	(shar\$3 near1 stor\$4).ti. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 15:43
S3	48	(shar\$3 near1 stor\$4).ti. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 16:50
S4	0	(shar\$3 near1 process\$3 near1 unit).ti. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 16:51
S5	10	(shar\$3 near1 process\$3 near1 unit).ab. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/12 16:39
S6	4	(shar\$3 near1 stor\$6 near1 unit).ab. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:47
S7	20423166	(shar\$3 near1 stor\$6 near1 unit).ab. and identif\$5 and sanand @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:47
S8	0	(shar\$3 near1 stor\$6 near1 unit).ab. and identif\$5 and san and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 17:03

S9	4	(shar\$3 near1 stor\$6 near1 unit)and identif\$5 and san and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:54
S10	0	(san).ti. and (allocat\$4 near3 memor\$3) and identif\$5 and san and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:56
S11	0	(san).ti. and (allocat\$4 near3 space\$3) and identif\$5 and san and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:56
S12	1	(san).ti. and (allocat\$4) and identif\$5 and san and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:57
S13	12	(san).ti. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/29 18:08
S14	95	(san).ab. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:08
S15	7	(san).ab. and shar\$5 near1 stor\$5 and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/29 18:09
S16	68	((multiple near1 service) with identif\$6) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 07:23

Page 2

•		•				
S17	0	((multiple near1 service) with identif\$6) and (shar\$5 near1 stor\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 07:23
S18	3	((multiple near1 service\$1) with identif\$6) and (shar\$5 near1 stor\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 08:03
S19	15	((multiple near1 service\$1) same identif\$6) and (shar\$5 near1 stor\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:23
S20	0	((multiple near1 service\$1) same identif\$6) and (shar\$5 near1 stor\$5) and SOAP and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2005/08/30 10:23
S21	9	((multiple near1 service\$1)) and (shar\$5 near1 stor\$5) and SOAP and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:03
S22	0	((ACL or "access control list") with identif\$5) and (shar\$5 near1 stor\$5) and SOAP and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/30 11:03
S23		((ACL or "access control list") with identif\$5) and (shar\$5 near1 stor\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:09
S24	4	((ACL or "access control list") with identif\$5) and (plurality near1 service\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:14

·						
S25	0	((ACL or "access control list") with identif\$5) and (interprise near1 service\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:15
S26	0	((ACL or "access control list") with identif\$5) and (interprise with service\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:15
S27	1	(interprise with service\$1).ti. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:15
S28	0	(interprise with service\$1).ti. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:16
S29	0	(interprise with service\$1).ab. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:16
S30	97	(enterprise with service\$1).ab. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/30 11:16
S31	19	(enterprise with service\$1).ti. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:21
S32	97	(enterprise with service\$1).ab. and identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:22

•			1415co. y			
S33	16	(enterprise with service\$1).ab. and user near1 identif\$5 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:27
S34	6	(enterprise with service\$1).ab. and (plurality near1 application) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:28
S35	7	(enterprise with service\$1).ab. and (plurality near1 application\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:28
S36	7	(enterprise with service\$1).ab. and (plurality near1 application\$1) and identi\$6 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:30
S37	5	(enterprise with service\$1).ab. and (plurality near1 application\$1) and user near1 identi\$6 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:30
S38	0	("20010047385").PN.	USPAT; USOCR	OR	OFF	2006/01/23 10:29
S39	1	("20010047385").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/23 10:56
S40	1	("20020133535").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/23 11:04
S41	192	@ad<="20011022" and (select\$5 with online with services)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 11:05
S42	4499	@ad<="20011022" and (select\$5 with online with services) music and email	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 11:06

	*			_		
S43	15	@ad<="20011022" and (select\$5 with online with services)and music and email	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/01/23 11:11
S44	6	@ad<="20011022" and (select\$5 with online with services)and shop\$4 same email same chat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 11:11
S45	1	("20020194195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/26 18:36
S46	1	("20020178232").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/26 18:37
S47	0	email with chat\$4 with shop and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:39
S48	5	email\$4 with chat\$4 with shop\$4 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:43
S49	14	email\$4 same chat\$4 same shop\$4 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/01/26 18:43
S50 .	1	("6711616").PN.	USPAT; USOCR	OR	OFF	2006/01/27 12:19
S51	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/01/27 12:21
S52	228	task and subtasks and add\$4 with task and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 12:22

			·	,	,	
S53	12	task and subtasks and (add\$4 with task with remov\$3) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:49
S54	1	("6216109").PN.	USPAT; USOCR	OR	OFF	2006/01/27 12:56
S55	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/01/27 13:06
S56	1	("6711616").PN.	USPAT; USOCR	OR .	OFF	2006/01/27 13:20
S57	. 4	(subtask\$1 with compress\$3 with results) and @ad<="20000314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 13:35
S58	0	(dynamic\$4 with list with subtasks) and @ad<="20000314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 13:36
S59	0	(dynamic\$4 with list with subtasks) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 13:36
S60	. 30	(dynamic\$4 with subtasks) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 13:42
S61	0	("dynamically linked library" with subtasks) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 13:43
S62	4	("dynamically linked library" with task) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 13:43

•			_			
S63	5	task and subtasks and (add\$4 with subtasks with remov\$3) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:49
S64	9	task and subtasks and (add\$4 with subtasks with delet\$3) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:51
S65	9	subtasks and (add\$4 with subtasks with delet\$3) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:51
S66	9	(add\$4 with subtasks with delet\$3) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/27 14:52
S67	3328	(add\$4 with process\$4 with delet\$3) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OŖ	ON	2006/01/27 14:52
S68	108	(add\$4 with process\$4 with delet\$3) same task\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:52
S69	0	(add\$4 with process\$4 with delet\$3) same task\$1 same subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:52
S70	1	(add\$4 with processors with delet\$3) same subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/01/27 15:06

S71	66	(add\$4 with processors remov\$3 delet\$3) same subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:07
S72	6	(add\$4 with processors and remov\$3) same subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:07
S73	5	(add\$4 with processors with remov\$3) same subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:08
S74		(add\$4 same processors same remov\$3) same subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:21
S75	0	re near1 distribut\$3 with subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:22
S76	2	reassign\$3 with subtask\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/27 15:22
S77	1	SOAP and profiles and plural\$4 near1 applications and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:30
S78	621	SOAP and profiles and applications and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:30

•			•			
S79	. 23	SOAP and profiles with applications and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:31
S80	0	simple near1 object near1 access and profiles with applications and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:32
S81	93	simple near1 object near1 access and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:32
S82	76	simple near1 object near1 access and applications and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:32
S83	1	simple near1 object near1 access and applications and user\$1 near1 profiles and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 15:51
S84	1	("6917373").PN.	USPAT; USOCR	OR	OFF	2006/02/03 15:51
S85	0	("(shar\$5(dataresourc\$3source\$4)wi thapplications)and@ad<=20010314 ").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 16:14
S86	4736	(shar\$5 with(data resourc\$3 source\$4) with applications) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 16:15
S87	710	(shar\$5 with(data resourc\$3 source\$4) with applications) .ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 16:16

		·	•		•	
S88	330	(shar\$5 with(data resourc\$3 source\$4) with applications) and structures .ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 16:16
S89	59	((shar\$5 with(data resourc\$3 source\$4) with applications) and structures).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 16:18
S90	0	((shar\$5 with(data resourc\$3 source\$4) with applications) and identif\$5 near1 structures).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 16:18
S91 .	5	((shar\$5 with(data resourc\$3 source\$4) with applications)).ab. and identif\$5 near1 structures and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 17:36
S92	0	((application with identifications with data near1 identifications)).ab. and identif\$5 near1 structures and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 17:36
S93	526	((application with identifications with data near1 identifications))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 17:36
S94	29	((application near1 identifications with data near1 identifications))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 18:03
S95	338	((application with shared adj1 data))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/13 18:03

S96	338	((applications with shared adj1 data))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 18:27
S97	5	(("20030133417") or ("6754664") or ("5696895") or ("20020049815") or ("6405250")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/13 18:51
S98	. 1	("20040003075").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/14 17:16
S99	338	((applications with (shared adj1 data)))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/06/14 18:27
S10 0	46	((applications with (shared adj1 data))).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 18:31
S10 1	46	((applications with (shared adj1 data))).ab. and (data adjs identi\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 18:32
S10 2	3	((applications with (shared adj1 data))).ab. and (data adj2 identi\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:15
S10 3	0	((applications with (shared adj1 data))) and ((data adj2 identi\$5) with (application\$1 adj2 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:16
S10 4	5	((shared adj1 data)) and ((data adj2 identi\$5) with (application\$1 adj2 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:16

\$10 ⁻ 5	84	((data adj2 identi\$5) with (application\$1 adj2 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:17
S10 6	12	((data adj1 identi\$5) with (application\$1 adj1 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:20
S10 7	13	((information adj1 identi\$5) with (application\$1 adj1 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:22
S10 8	0	((profiles adj1 identi\$5) with (application\$1 adj1 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:22
S10 9	0	((profile adj1 identi\$5) with (application\$1 adj1 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 20:26
S11 0	4	((resource adj1 identi\$5) with (application\$1 adj1 identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/30 14:16
S11	1	("6917373").PN.	USPAT; USOCR	OR	OFF	2006/06/14 21:17
S11 2	0	("2001047385").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/14 21:17
S11 3	1	("20010047385").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/14 21:58
S11 4	2	(("6310941") or ("6772229")).PN.	USPAT; USOCR	OR	OFF	2006/06/15 22:35

11/13/2007 6:02:48 AM C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\10003750.wsp Page 13

•		EAST Scare	,			•
S11 5	2	((send\$3 near1 request\$4) with (different adj1 machines))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:02
S11 6	2	((send\$3 near1 request) with (different adj1 machines))and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 16:41
S11 7	0	("20020055951").PN.	USPAT; USOCR	OR	OFF	2006/06/23 16:41
S11 8	1	("20020055951").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/23 16:42
S11 9	1	("6189032").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/23 16:42
S12 0	49	("identifictaion" "identity" "identify" "id") with schemas with structures and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:03
S12 1	22	("identifictaion" "identity" "identify" "id") with schemas with (data near2 'structures) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:12
S12 2	16	("identifictaion" "identity" "identify" "id") with schemas with (data adj1 structures) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:14
S12 3	86	("identifictaion" "identity" "identify" "id") with (data adj1 structures)near2 types and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:15
S12 4	4	("identifictaion" "identity" "identify" "id") with (data adj1 structures)near2 types with applications and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 14:06

S12 5	2	("20010047385").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:06
S12 6	20	(modify\$3 with authorizations with applications) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 14:16
S12 7	2	("6,823,458").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:42
S12 8	2	("5,754,175").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:56
S12 9	2	("20040003038").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 18:08
S13 0		("6091638").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 18:08
S13 1		("6760916").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 18:09
S13 2	2	("6360366").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:06

			-			
S13 3	2	("6934722").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:06
S13 4	2	("20020103903").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:07
S13 5	2	("5191611").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/16 17:08
S13 6	2	("5748890").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:09
S13 7	2	("6389510").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:11
S13 8	2	("6324691").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/16 17:13
S13 9	2	("6401138").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:15
S14 0	2	("20020085579").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 17:15

S14 1	86229	(operation\$3 near3 types) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:04
S14 2	11881	(operation\$3 near3 types).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:04
S14 3	110	(applications with (operation\$3 near3 types)).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:05
S14 4	0	(applications with (identifications identit\$ id\$3) with (operation\$3 near3 types)).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:05
S14 5	9	(applications and (identifications identit\$ id\$3) and (operation\$3 near3 types)).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/21 18:02
S14 6	0	("56699310").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 18:02
S14 7	2	("5699310").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 18:05
S14 8	2.	("5935211").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 18:14

S14 9	2	("6088659").PN.	US-PGPUB; USPAT; USOCR;	OR	OFF	2007/05/21 18:14
		·	EPO; JPO; DERWENT; IBM_TDB		·	
S15 0	2	("20020015042").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/25 17:19
S15 1	2	("20030078679").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/05/29 13:59
S15 2	2	("5577255").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 14:01
S15 3	2	("6182163").PN.	US-PGPUB; USPAT; USOCR; EPO;•JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 14:33
S15 4	2	("6634005").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 14:35
S15 5	1921	(shar\$5 with access\$4 with applications) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:20
S15 6	20	(shar\$5 with access\$4 with applications) with scheme and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:20

S15 7	4	(shar\$5 with access\$4 with applications) with schema and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:50
S15 8	1215	(shar\$5 with access\$4) same ((edit\$3 chang\$3 reset\$4) with (access\$3 authorizat\$4)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:52
S15 9	408	(shar\$5 with access\$4) same ((edit\$3 chang\$3 reset\$4) near3 (access\$3 authorizat\$4)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:52
S16 0	28	(shar\$5 with access\$4) same ((edit\$3 chang\$3 reset\$4) near3 (access\$3 authorizat\$4)) and schema and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:52
S16 1	6	(shar\$5 with access\$4) same ((edit\$3 reset\$4) near3 (access\$3 authorizat\$4)) and schema and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:54
S16 2	0	(shar\$5 with access\$4) same ((edit\$3 reset\$4) with (access\$3 authorizat\$4) with members) and schema and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:54
S16 3	2	(shar\$5 with access\$4) and ((edit\$3 reset\$4) with (access\$3 authorizat\$4) with members) and schema and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 23:54
S16 4	1	("6678682").PN.	USPAT; USOCR	OR	OFF	2007/11/11 05:47
S16 5	1	("6574631").PN.	USPAT; USOCR	OR	OFF	2007/11/11 05:49
S16 6	1	("6820204").PN.	USPAT; USOCR	OR	OFF	2007/11/11 05:49
S16 7	1	("6678682").PN.	USPAT; USOCR	OR	OFF	2007/11/12 14:20

S16	1	("6820204").PN.	USPAT;	OR	OFF	2007/11/12 14:20
8		(IICO20204II) PM	USOCR	0.0	055	2007/44/42 44 5
S16 9	1	("6820204").PN.	USPAT; USOCR	OR	OFF	2007/11/12 16:36
S17 0	0	(",678,682").PN.	USPAT; USOCR	OR	OFF	2007/11/12 16:36
S17 1	1	("6,678,682").PN.	USPAT; USOCR	OR	OFF	2007/11/12 16:36
S17 2	1	("6,574,631").PN.	USPAT; USOCR	OR	OFF	2007/11/12 16:36
S17 3	66	(query\$3 near3 address) with DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 16:39
S17 4	0	(query\$3 near3 address) with DNS and (shares near2 data) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 16:40
S17 5	0	(query\$3 near3 address) with DNS and (shar4 near2 (data informat\$5 profiles)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 16:40
S17 6	65	(query\$3 near3 address) with DNS and (shar4 wiht (data informat\$5 profiles)) and @ad<="20010314"	US-PGPUB; .USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/12 16:40
S17 7	0	(query\$3 near3 address) with DNS and (shar4 with (data informat\$5 profiles)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 16:40
S17 8	0	(address%4) with DNS and (shar4 with (data informat\$5 profiles)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 16:41

	,					
S17 9	0	(address\$4) with DNS and (shar4 with (data informat\$5 profiles)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 16:41
S18 0	544	(address\$4) with DNS and (shar\$4 with (data informat\$5 profiles)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/12 16:41
S18 1	101	(address\$4) with DNS and (shar\$4 with (data informat\$5 profiles) with applications) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/12 16:42
S18 2	742	(shar\$4 with (data informat\$5 profiles) with applications).ab. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 16:42
S18 3	0	(shar\$4 with (data informat\$5 profiles) with applications).ab. and (address\$4) with DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 16:42
S18 4	1	(shar\$4 with (data informat\$5 profiles) with applications).ab. and (address\$4) same DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/11/12 16:43
S18 5	0	(shar\$4 with (data informat\$5 profiles) with applications)with (address\$4) with DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/12 16:44
S18 6	0	(shar\$4 with (data informat\$5 profiles) with applications)same (address\$4) same DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 16:44

			-			
S18 7	101	(shar\$4 with (data informat\$5 profiles) with applications) and (address\$4) with DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 16:44
S18 8	62	(shar\$4 near2 (data informat\$5 profiles) with applications) and (address\$4) with DNS and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 16:49
S18 9		(shar\$4 near2 (data informat\$5 profiles) with applications) and ((address\$4) with DNS with query\$4) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/11/12 16:49
S19 0	0	("20020073211").PN.	USPAT; USOCR	OR	OFF	2007/11/12 22:44
S19 1	2	("20020073211").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 22:44
S19 2	2	("20020073211").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 23:25